# 2021 VAPOR STICKS

VAPOR / BAUER

BAUER_S21-Catalog-Dividers_Family.indd 3 9/3/20 2:05 PM

# VAPOR STICKS

HYPERLITE

## S21 VAPOR HYPERLITE GRIP STICK SR-102 1059167

| | |
|---|---|
| Level | Elite |
| Flex | 102 Flex |
| Patterns | P88, P92, P28, P92M, L/R |
| Shot Technology | XE Taper Technology |
| Shaft Technology | 385 Grams, Lightweight Asymmetrical TeXtreme® construction (40 Flex and above only); ACL Technology (40 Flex and above only); DuraFlex Resin System, Optimized Carbon Fiber Lay Up |
| Blade Technology | ACL technology; HYPERCORE Blade Core (55 Flex and above only) |
| Construction | Monocomp technology |
| 60" Stick: | 87 Flex [P88, P92, P28, P92M], L/R [1058489] |
| | 77 Flex [P88, P92, P28, P92M], L/R [1058551] |
| | 70 Flex [P88, P92, P28, P92M], L/R [1058552] |
| 57" Stick: | 65 Flex [P88, P92, P28, P92M], L/R [1058553] |
| | 55 Flex [P88, P92, P28, P92M], L/R [1058554] |
| 54" Stick: | 50 Flex [P88, P92, P28], L/R [1058555] |
| 52" Stick: | 40 Flex [P88, P92, P28], L/R [1058556] |
| 50" Stick: | 30 Flex [P88, P92, P28], L/R [1058557] |
| 46" Stick: | 20 Flex [P92], L/R [1058558] |

# VAPOR STICKS

## S21 VAPOR 3X PRO GRIP STICK SR-87 1059189

| | |
|---|---|
| Level | Elite |
| Flex | 87 |
| Patterns | P88, P92, P28, P92M, L/R |
| Shot Technology | XE Taper Technology |
| WEIGHT | 410 Grams |
| Blade Technology | Textreme; MAXBALANCE BLADE |
| Construction | HP MOLD |
| 60" Stick: | 77 Flex [P88, P92, P28, P92M], L/R [1059190] |
| | 70 Flex [P88, P92, P28, P92M], L/R [1059191] |
| 57" Stick: | 65 Flex [P88, P92, P28], L/R [1059192] |
| | 55 Flex [P88, P92, P28], L/R [1059194] |

# VAPOR LEAGUE STICKS

## S21 VAPOR LEAGUE GRIP STICK 95 FLEX 1058829

| | |
|---|---|
| Level | Elite |
| Flex | 95 Flex |
| Patterns | P92, P88, P28, P92M L/R |
| Weight | 410g. |
| Construction | Monocomp |
| Shaft | UD Carbon Fiber |
| Blade | 15K Carbon Fiber |
| Blade Technology | HyperCore Blade Technology |
| Additional Flexes | 1058830- 87 Flex; 1058831 - 77 Flex; 1058833 - 70 Flex; 1058834 - 65 Flex |

## S21 VAPOR 3X GRIP STICK SR-87 1058559

| | |
|---|---|
| Level | Performance |
| Flex | 87 |
| Patterns | P88, P92, P28 L/R |
| Shot Technology | XE Taper Technology |
| WEIGHT | 430 Grams |
| Blade Technology | 15K Blade Construction; MAXBALANCE BLADE |
| Construction | HP MOLD |
| 60" Stick: | 77 Flex [P88, P92, P28], L/R [1058560] |
| | 70 Flex [P88, P92, P28], L/R [1058561] |
| 57" Stick: | 65 Flex [P88, P92, P28], L/R [1058565] |
| | 55 Flex [P88, P92, P28], L/R [1058566] |
| 54" Stick: | 50 Flex [P88, P92, P28], L/R [1058562] |
| 52" Stick: | 40 Flex [P88, P92, P28], L/R [1058564] |

## S21 VAPOR X3.7 GRIP STICK SR - 87 1058486

| | |
|---|---|
| Level | Performance + Value |
| Flex | 87 |
| Patterns | P88, P92, P28 L/R |
| Shot Technology | XE TAPER |
| WEIGHT | 450 Grams |
| Blade Technology | MAXBALANCE BLADE |
| Construction | HP MOLD |
| 60" Stick: | 77 Flex [P88, P92, P28], L/R [1059092] |
| 57" Stick: | 65 Flex [P88, P92, P28], L/R [1059093] |
| | 55 Flex [P88, P92, P28], L/R [1058487] |
| 54" Stick: | 50 Flex [P88, P92, P28], L/R [1058488] |

# STICKS

## S21 BAUER X GRIP STICK SR - 80 1058583

| | |
|---|---|
| Level | Value |
| Flex | 80 |
| Patterns | P92 L/R |
| Shot Technology | Easy Release Technology |
| Shaft Technology | Micro Feel II shaft dimension |
| Blade Technology | UD Carbon Fiber |
| Construction | FUSED 2-Piece |
| 57" Stick: | 60 Flex [P92, P01], L/R [1058584] |
| 52" Stick: | 40 Flex [P92, P01], L/R [1058585] |

## S21 VAPOR JUNIOR GRIP STICK 30 FLEX 50" 1058978

| | |
|---|---|
| Level | Performance |
| Flex | 30 |
| Patterns | P92, P01 L/R |
| Shot Technology | Easy Release Technology |
| WEIGHT | 335 grams |
| Construction | FUSED 2-Piece |
| 46" Stick: | 20 Flex [P92, P01], L/R [1058977] |
| 42" Stick: | 10 Flex [P92, P01], L/R [1058586] |

# 2021 NEXUS STICKS

NEXUS / BAUER

BAUER_S21-Catalog-Dividers_Family.indd 5 9/3/20 2:05 PM

# NEXUS STICKS

## S21 NEXUS GEO GRIP STICK SR-87 1056858

| | |
|---|---|
| Level | Elite |
| Flex | 87 Flex |
| Patterns | P92, P88, P28, P92M L/R (P92M in SR/INT only) |
| Length | 60" Stick SR (87-70 Flex); 57" Stick INT (65-55 Flex); 54" (50 Flex) 52" (40 Flex) 50" (30 Flex) Stick JR |
| Shot Technology | ER SPINE Technology |
| Shaft Technology | Lightweight Asymmetrical TeXtreme® construction; ACL Technology (55 Flex and above only); DuraFlex Resin System |
| Blade Technology | ACL technology (55 Flex and above); OMNICORE (55 Flex and above) |
| Construction | Monocomp technology |
| Additional Flexes | 1056859 - 77 Flex; 1056991 - 70 Flex; 1056993 - 65 Flex; 1056994 - 55 Flex; 1056995 - 50 Flex; 1056996 - 40 Flex; 1056997 - 30 Flex |

# NEXUS STICKS

## S21 NEXUS 3N PRO GRIP STICK SR-87 (62") 1056988

| | |
|---|---|
| Level | Elite |
| Flex | 87 Flex |
| Patterns | P92, P88, P28, (P92M SR Only) L/R |
| Length | 62" Stick SR (87-77 Flex); 60" Stick SR (70 Flex); 57" Stick INT (65-55 Flex) |
| Shot Technology | ER SPINE TECHNOLOGY |
| Shaft Technology | HP MOLD |
| Blade Technology | MaxBalance; TeXtreme® construction |
| Additional Flexes | 1056987 - 77 Flex; 1056986 - 70 Flex; 1056985 - 65 Flex; 1056984 - 55 Flex |

# NEXUS LEAGUE STICK




## S21 NEXUS LEAGUE GRIP STICK SR - 95 1058824

| | |
|---|---|
| Level | Elite |
| Flex | 95 Flex |
| Patterns | P92, P88, P28, P92M L/R |
| Weight | 410g. |
| Construction | Monocomp |
| Shaft | UD Carbon Fiber |
| Blade | 15K Carbon Fiber |
| Blade Technology | HyperCore Blade Technology |
| Additional Flexes | 1058825- 87 Flex; 1058826 - 77 Flex; 1058827 - 70 Flex; 1058828 - 65 Flex |

## S21 NEXUS 3N GRIP STICK SR-87 1056983

| | |
|---|---|
| Level | Performance |
| Flex | 87 Flex |
| Patterns | P92, P88, P28 L/R |
| Length | 60" Stick SR (87-70 Flex); 57" Stick INT (65-55 Flex); 54" Stick JR(50 Flex); 52" Stick JR (40 Flex) |
| Shot Technology | ER SPINE TECHNOLOGY |
| Shaft Technology | HP MOLD |
| Blade Technology | 15K Carbon Fiber; Aerofoam I Blade Core; MaxBalance |
| Additional Flexes | 1056981 - 77 Flex; 1056979 - 70 Flex; 1056978 - 65 Flex; 1056976 - 55 Flex; 1056975 - 50 Flex; 1056974 - 40 Flex |

## S21 NEXUS N37 GRIP STICK SR-87 1058862

| | |
|---|---|
| Level | Performance |
| Flex | 87 Flex |
| Patterns | P92, P88, P28 L/R |
| Length | 60" Stick SR; 57" Stick INT; 54" Stick JR |
| Shot Technology | Mid-Kick Technology |
| Shaft Technology | UD Carbon construction; Square shaft dimension |
| Blade Technology | UD Carbon construction; PU blade core |
| Construction | Fused 2-Piece |
| Additional Flexes | 1058864 - 77 Flex; 1058865 - 65 Flex; 1058866 - 50 Flex |



BAUER_S21-Catalog-Dividers_Blank-Pages.indd 2 9/3/20 2:15 PM

# 2020 SUPREME STICKS



SUPREME / BAUER

BAUER_S21-Catalog-Dividers_Family.indd 4 9/3/20 2:05 PM

# SUPREME STICKS

## S20 SUPREME ULTRASONIC STICK SR-87 1056637

| | |
|---|---|
| Level | Elite |
| Flex | 87 Flex |
| Patterns | P92, P88, P28, P92M L/R |
| Length | 60" Stick SR (87-70 Flex); 57" Stick INT (65-55 Flex); 54" (50 Flex) 52" (40 Flex) 50" (30 Flex) Stick JR |
| Shot Technology | SONIC Taper Technology |
| Shaft Technology | Lightweight Asymmetrical TeXtreme® construction; ACL Technology (55 Flex and above only); Square shaft geometry; DuraFlex Resin System |
| Blade Technology | ACL technology (55 Flex and above); FAST CORE (55 Flex and above) |
| Construction | Monocomp technology |
| 60" Stick | 77 Flex [P92, P88, P28, P92M], L/R [1056639] |
| | 70 Flex [P92, P88, P28, P92M], L/R [1056640] |
| 57" Stick | 65 Flex [P92, P88, P28, P92M], L/R [1056642] |
| | 55 Flex [P92, P88, P28, P92M], L/R [1056643] |
| | 50 Flex [P92, P88, P28, P92M], L/R [1056644] |
| 52" Stick | 40 Flex [P92, P88, P28], L/R [1056645] |
| 50" Stick | 30 Flex [P92, P88, P28], L/R [1056538] |

# SUPREME STICKS




## S20 SUPREME 3S PRO GRIP STICK SR-87(62") 1056646

| | |
|---|---|
| Level | Elite |
| Flex | 87 Flex |
| Patterns | P92, P88, P28, (P92M SR Only) L/R |
| Shot Technology | MPK Technology |
| Shaft Technology | TeXtreme® construction; Square shaft geometry; DuraFlex Resin System |
| Blade Technology | MaxBalance; TeXtreme® construction |
| Construction | HP Mold |
| 62" Stick: | 77 Flex [P92, P88, P28, P92M], L/R [1056648] |
| 60" Stick: | 70 Flex [P92, P88, P28, P92M], L/R [1056649] |
| 57" Stick: | 65 Flex [P92, P88, P28], L/R [1056650] |
| | 55 Flex [P92, P88, P28], L/R [1056652] |

## S20 SUPREME 3S GRIP STICK SR-87 1056635

| | |
|---|---|
| Level | Performance |
| Flex | 87 Flex |
| Patterns | P92, P88, P28 L/R |
| Shot Technology | MPK Technology |
| Shaft Technology | UD Carbon construction; Square shaft dimension; DuraFlex Resin System |
| Blade Technology | 15K Carbon Fiber; Aerofoam I Blade Core; MaxBalance |
| Construction | HP Mold |
| 60" Stick: | 77 Flex [P92, P88, P28], L/R [1056634] |
| | 70 Flex [P92, P88, P28], L/R [1056857] |
| 57" Stick: | 65 Flex [P92, P88, P28], L/R [1056633] |
| | 55 Flex [P92, P88, P28], L/R [1056539] |
| 54"Stick: | 50 Flex [P92, P88, P28], L/R [1056623] |
| 52: Stick: | 40 Flex [P92, P88, P28], L/R [1056540] |

## S20 SUPREME S37 GRIP STICK SR-77 1056551

| | |
|---|---|
| Level | Performance |
| Flex | 77 Flex |
| Patterns | P92, P88, P28 L/R |
| Length | 60" Stick |
| Shot Technology | MPK Technology |
| Shaft Technology | UD Carbon construction; Square shaft dimension; DuraFlex Resin System |
| Blade Technology | UD Carbon construction; PU blade core |
| Construction | Fused 2-Piece |
| 57" Stick: | 65 Flex [P92, P88, P28], L/R [10556553] |
| 54" Stick: | 50 Flex [P92, P88, P28], L/R [10556554] |

## SUPREME 1S COMP END PLUG SR S16 1048223

| | |
|---|---|
| Level | Elite |
| Features and Technology. | Designed to fit. Supreme SR Sticks |
| Construction | Composite |
| Length | 4" |

## S18 VAPOR 4" END PLUG SR 1052339

| | |
|---|---|
| Level | Elite |
| Features and Technology | Designed to fit VAPOR SR Sticks |
| Construction | Composite |
| Length | 4" |

# BAUER HOCKEY STICKS

## VAPOR

### QUICK

Engineered for a quick release to get your shot off quicker

## NEXUS

### VERSATILE

Engineered for versatility to shoot effortlessly in any situation

## SUPREME

### VELOCITY

Engineered for maximum energy transfer to get the fastest shot possible

## GET THE PATTERN THAT SUITS YOUR STYLE

| PATTERN | CURVE | FACE | TOE | LENGTH |
|---|---|---|---|---|
| **P92 / P92M**<br>OPTIMAL STICKHANDLING/ QUICK-HIGH SNAPSHOTS | MID | OPEN | ROUND | MEDIUM-LONG |
| **P28**<br>TOE DRAGS/ CONTROL/ QUICK RELEASE | MID TOE | OPEN | ROUND | MEDIUM |
| **P88**<br>CONTROLLED PUCK HAND/ WRIST SHOTS | MID | SLIGHT-OPEN | ROUND | MEDIUM-LONG |